

ORDER FORM

Name: _____

Address: _____

Phone: _____

Fax: _____

Email: _____

Payment via: Direct Deposit / Cheque / Money Order / Credit Card

(Please make your cheque payable to Cellar Plus Group P/L)

Card Number: _____

Expiry Date: _____

Name on Card: _____

Signature: _____

ITEM NAME	PRICE Ex GST	ORDER QTY
PRUNING		
Felco No.2 Classic Shear	\$79.00	
Felco No.4 Popular Shear	\$64.20	
Felco No.5 Rotating handle p/s	POA	
Felco No.6 Small hand	POA	
Felco No.7 Rotating handle	\$99.90	
Felco No.8 Ergonomic handle	POA	
Felco No.9 Ergonomic left handle	POA	
Felco No.10 Left hand rotating handle	POA	
Felco No.11 Professional Pruning Shear	\$87.95	
Felco No.12 Rotating handle small hand	\$94.00	
Felco No.13 One & Two-Hand	POA	
Felco No.20- 43cm long handle loper	POA	
Felco No.21- 63cm long handle loper	POA	
Felco No.23- 53cm long handle loper	POA	
Felco 30 Anvil type pruning shear	POA	
Felco 51 hoof scissor	POA	
Felco 600 folding saw	POA	
Felco 620- 1 piece saw with carry case	POA	
Felco F900 Opt. Spare sharpening stone fine grain	POA	
Felco F901 Opt. Spare sharpening stone medium grain	POA	
Felco F910 Opt. Leather holster	POA	
Mantis saw-scissors with battery pack, charger and accessories.	POA	
Rod Telescopic 3mt to suit Mantis saw-scissors.	POA	
Rod with switch 1.5mt to suit Mantis saw-scissors.	POA	
Felcotronic	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
HARVESTING		
Olivella 100C Rake for harvesting olives - with Accessories. (19 titanium teeth)	\$1,650.00	
Olivella MIDI Rake for harvesting olives - with Accessories.(15 titanium teeth)	POA	
Olivella MINI Rake for harvesting olives - with Accessories. (11 titanium teeth)	POA	
Scuotivella Electric Rake - with Accessories (5 plastic wings)	POA	
Campagnola Olistar Pneumatic Rake with 1m fixed aluminium telescope	POA	
Battery pack with charger to suit olivella machines. (8 hours power)	POA	
Electronic Block Control to suit olivella machines. (for auto power cut out)	POA	
Rake single sided food grade plastic for manual harvesting	POA	
Different combs available upon request		
Picking Crates & Bins		
Picking Crate (Red) 40 Lt (ICS) Perforated Wall & Perforated Base – Qty 0-25	\$18.20	
Picking Crate (Red) 40 Lt (ICS) Perforated Wall & Perforated Base – Qty 25-50	POA	
Picking Crate (Red) 40 Lt (ICS) Perforated Wall & Perforated Base – Qty 50+	POA	
Table Olive Harvest Bucket (10L capacity)	POA	
Table Olive Harvest Bag for olives/apples	POA	
Catching Net 3.6m wide (Black)	POA	
Olinet Olive Catcher with frame 5.5m diameter	POA	
Megabin picking bin (780L) with perforated base & walls	POA	
OPTIONAL: rails for bin tipping on Megabin Only	POA	
PROCESSING MACHINES		
OMT Complete Set Up (Turn Key)		
OMT PEGASO 500 - 400/500kg per hr Auto continuous system	POA	
OMT EURO X15 - 1500/1800kg per hr Auto continuous system	POA	
OMT EURO X30 - 2500/3000kg per hr Auto continuous system	POA	
Larger olive presses available upon request		
TEM FIMO Complete Set Up – Commissioning & design services available		
TEM Fimo Spremoliva 10 kg/h Test Unit, Single Phase & Three Phase	POA	
TEM Fimo 50kg/h, Single Phase and 3 Phase	POA	
TEM Fimo 120kg/hr	POA	
TEM Fimo 150kg/h Three Phase	POA	
TEM Fimo 200kg/h Three Phase	POA	
TEM Fimo 350kg/h Three Phase	POA	
TEM Fimo 350kg/h PLC Control Three Phase	POA	
TEM Fimo 500kg/h Three Phase	POA	
TEM Fimo 700kg/h Three Phase	POA	
TEM Fimo 1000kg/h Three Phase	POA	
Contact ABS for onsite technical maintenance & service on 03 8405 9000.		
ACCESSORIES		
TEM Fimo MINI DLE, Single Phase and 3 Phase	POA	
TEM Fimo DLE, Three Phase	POA	
TEM Fimo MAXI DLE, Three Phase	POA	
TEM Fimo SUPER DLE Three Phase	POA	
TEM Fimo 200 Pit Remover & Crusher, Three Phase	POA	
TEM Fimo 400 Pit Remover & Crusher, Three Phase	POA	
TEM Fimo 1000 Pit Remover & Crusher, Three Phase	POA	
TEM Fimo Small Oil Collector with Pump Single Phase	POA	
TEM Fimo Large Oil Collector, Pump, Three Phase	POA	
TEM Fimo Folavento Leaf Remover Single Phase/Three Phase	POA	
TEM Fimo Washer/Elevator, Single Phase/Three Phase	POA	
TEM Fimo Belt Elevator with Leaf Remover	POA	
TEM Fimo Belt Elevator, no Leaf Remover	POA	
TEM Fimo Waste Pump, 150kg/h - 350 kg/h Single Phase/Three Phase	POA	
TEM Fimo Large Waste Pump Three Phase	POA	
TEM Fimo Waste Auger 6m	POA	
TEM Fimo New Crushing Mill (optional crushing system)	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
LARGE TRANSFER PUMPS		
Liverani Flexible Impeller Transfer Pumps – Belt Driven Motor		
Liverani GR-Minor 38mm, Single or 3 Phase, Single Speed, S/S Trolley	\$2,300.00	
Liverani GR-Major 63mm, Single or 3 Phase, Single Speed, S/S Trolley	POA	
Liverani GR-Maxi 76mm, Single or 3 Phase, Single Speed, S/S Trolley	POA	
Electronic Variable Speed with Remote Control Converter.	POA	
<i>(To suit above 3 Phase, single Speed Pumps only. This will convert the 3 Phase pump into Single Phase and also work on Electronic Variable Speed with a 10mt Remote Control allowing the pump to be used from a distance.)</i>		
Direct Drive Motor		
Liverani VA-Minor 38mm, 3 Phase, Variable Speed, S/S Trolley	POA	
Liverani VA-Major 63mm, 3 Phase, Variable Speed, S/S Trolley	POA	
Liverani VA-Maxi 76mm, 3 Phase, Variable Speed, S/S Trolley	POA	
Della Toffola Kiesel Liquid Mono Helical Rotor – High volume olive oil transfer		
SP4 M02 700-1400rpm-1250 2500l/h-kW 0.7/1.1	POA	
SP4 M03 With speed varia tor 400-2500l/h 200-1400rpm kW 1.1	POA	
<i>Optional extra for Protection against running dry</i>	POA	
SP45M02 700-1400rpm 2500-5000 l/h kW 0.7/1.1	POA	
SP45 M03 with speed varia tor 700-5000 l/h 200-1400 rpm kW 1.1	POA	
<i>Optional extra for Protection against running dry</i>	POA	
SP5 M02 700-1400rpm 5000-10000 l/h kW 1/1.9	POA	
SP5 M03 with speed variator 1500-10000 l/h kW 2.2	POA	
<i>Optional extra for Protection against running dry</i>	POA	
SP6 M02 700-1400rpm 10000-20000 l/h kW 2.2/3.5	POA	
SP6 M03 with speed variator 2400-12000 l/h kW 3	POA	
<i>Optional extra for Protection against running dry</i>	POA	
SP12 M02 400-800rpm 20000-40000 l/h kW 4.8/6	POA	
SP12 M03 with speed variator 6000-32000 l/h kW 5.5	POA	
<i>Optional extra for Protection against running dry</i>	POA	
SP16 M02 250-500rpm 25000-50000 l/h kW 6.4/7.8	POA	
DT Peristaltic Pumps – High volume gentle oil transfer	POA	
SMALL TRANSFER PUMPS	POA	
Designed for 20x20cm plate & Frame filters and olive oil transfer		
CP Mono with Electronic Variable Speed + 10m Remote control, trolley & By-Pass.		
Mono CP11 (600L/H)	\$2,550.00	
Mono CP25 (1100L/H)	POA	
Mono CP800 (3200L/H)	POA	
Mono CP1600 (7000L/H)	POA	
Technicapompe		
Centrifugal stainless steel impeller pumps designed for the Della Toffola 40x40cm plate & frame filters and low shear (high volume) olive oil transfer		
TCD 15 (10000L/H) with stainless steel trolley & on/off switch	POA	
TCD 20 (15000L/H) with stainless steel trolley & on/off switch	POA	
TCD 30 (20000L/H) with stainless steel trolley & on/off switch	POA	
TCD 40 (30000L/H) with stainless steel trolley & on/off switch	POA	
BOTTLING MACHINES		
Tenco Vacuum Bottle Filling Units		
Single head Enolmatic vacuum bottle filling unit (200 BPH)	\$420.00	
Enolmaster 3 head vacuum bottle filling	POA	
Enolmaster 4 head vacuum bottle filling with s/s nozzles	POA	
Tandem Filter Housing to suit single head Enolmatic	POA	
Tandem Professional Filter Housing 3&4 Head Enolmaster (holds 3 cartridges)	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
Filter Cartridge Stainless steel (10 micron)	POA	
Enolmatic Filling Kit – Oil Nozzle	POA	
Enolmatic Accessory- Stainless steel spare nozzle	POA	
TEM Bottle Filling Units – refer to transfer pumps section for suitable pump		
TEM Speedy Oil 4 head bottle filling unit (no pump)	POA	
TEM Speedy Oil 6 head bottle filling unit (no pump)	POA	
TEM Speedy Oil 4 head bottle filling unit with Liverani pump and bypass	POA	
TEM Speedy Oil 6 head bottle filling unit with Liverani pump and bypass	POA	
TEM Speedy Oil 2 head bottle filling unit with vacuum pump	POA	
TEM Speedy Oil 4 head bottle filling unit with vacuum pump	POA	
TEM Speedy Oil 6 head bottle filling unit with vacuum pump	POA	
TEM Gravity 4 head bottle filling unit - with float	POA	
TEM Gravity 6 head bottle filling unit – with float	POA	
TEM Work Stations 4 head Filling, Pump and 10 pad Filter. (Inc bypass and float)	POA	
TEM Work Stations 4 head Filling, Pump and 20 pad Filter. (Inc bypass and float)	POA	
TEM Work Stations 6 head Filling, Pump and 20 pad Filter. (Inc bypass and float)	POA	
TEM Work Stations 6 head Filling, Pump and 30 pad Filter. (Inc bypass and float)	POA	
Monomatic Automated bottling, capping and labelling facility 500 bph	POA	
FILTRATION SYSTEMS		
COTTON FILTERING		
Cotton Filter Unit, 80L	\$1,500.00	
Cotton to suit filter 1 Kg	\$22.00	
TEM Jolly 20 x 20 Plate & Frame		
Filtro Jolly 10 pad 20 x 20-trolley frame w/wheels (85L/H)	\$1,100.00	
Filtro Jolly 20 pad 20 x 20-trolley frame w/wheels (100L/H)	POA	
Filtro Jolly 30 pad 20 x 20-trolley frame w/wheels (150L/H)	POA	
*Refer to Small Transfer Pumps to match appropriate pump with filter.		
Optional extras:		
Spare plates (Noryl) (20x20)	POA	
Cellulose Filter pads to suit – Pkt 100 (10 micron)	POA	
DELLA TOFFOLA 40 x 40 Plate & Frame Pad Filter		
DT (A2) 4- 20 pad filter (900 - 1500L/H)	POA	
DT (A4) 24- 40 pad filter (1900 - 2200L/H)	POA	
DT (A6) 44- 60 pad filter (6000L/H)	POA	
DT (A8) 64- 80 pad filter (8000L /H)	POA	
DT (A10) 84 – 100 pad filter (10000L/H)	POA	
*Refer to Small Transfer Pumps to match appropriate pump with filter.		
Optional extras:		
40 x 40 Rilsan Plates middle and end plates	POA	
External flow pipes stainless steel for heavy/viscous liquids (A2,A4,A6)	POA	
Stainless steel double filtration plate	POA	
Plastic double filtration plate	POA	
In Line Sight Glass	POA	
Manual Hydraulic Closure (Models A8 – A10 Only)	POA	
Della Toffola Earth Filters – For High Volume Olive Oil Filtration		
ECP 2 – 2m ²	POA	
ECP 3 – 3m ²	POA	
FSB 3 – 3m ²	POA	
FSB 4 – 4m ²	POA	
FSB 5 – 5m ²	POA	
NF 5 – 5m ²	POA	
NF 8 - 8m ² , NF 10 - 10m ² , NF 15 - 15m ²	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
NF 18 - 18m ² , NF 20 - 20m ² , NF 25 - 25m ²	POA	
NF 30 - 30m ² , NF 40 - 40m ² , NF 50 - 50m ²	POA	
LABELLING MACHINES		
BENCHMARK Manual Labelling Machine	\$1,180.00	
BENCHMARK Semi-Auto Labelling no attachments	POA	
BENCHMARK Semi-Auto Labelling Auto Label attachment	POA	
BENCHMARK Semi-Auto Labelling Orientat attachment	POA	
BENCHMARK Semi-Auto Labelling all attachments	POA	
BENCHMARK Semi-Auto Labelling Wide body – front & back label	POA	
BENCHMARK Semi-Auto Labelling Wide body – front & back label	POA	
BENCHMARK Semi-Auto Labelling Wide body – front & back label	POA	
Framax LLAC-R-NP-ECON up to 1000 bph	POA	
Framax LLAC-R-PLUS up to 1800 bph Round Bottles Only	POA	
Framax LLAC-R/SQ up to 1800 bph Round & Square Bottles	POA	
Framax LLA-R/SQ up to 2100 bph	POA	
Framax LLA-R/SQ-TURBO up to 3000 bph	POA	
Framax LLAC-R/SQ-TURBO up to 3000 bph	POA	
OIL STORAGE & SETTLING TANKS		
5L Screw Top SS Tank – includes tap & stand	POA	
10L Screw Top SS Tank	\$95.00	
15L Screw Top SS Tank	POA	
20L Screw Top SS Tank	\$118.00	
30L Screw Top SS Tank	POA	
50L Screw Top SS Tank	POA	
75L Screw Top SS Tank	POA	
100L Screw Top SS Tank	POA	
Tap 25mm Nickel Plated	POA	
Tap 25mm Stainless steel	POA	
Variable Capacity 100L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 230L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 300L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 420L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 500L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 640L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Variable Capacity 1000L SS Tank - 1x Valve, Full V/C Lid Kit	POA	
Pedestal Base to suit 100Ltr Tank	POA	
Pedestal Base to suit 200Ltr Tank	POA	
Pedestal Base to suit 200-300Ltr Tank	POA	
Pedestal Base to suit 400-800Ltr Tank	POA	
Pedestal Base to suit 1000Ltr Tank	POA	
Fixed Capacity Closed Tanks - 300L- Welded legs SS Tank	POA	
Fixed Capacity Closed Tanks - 500L- Welded legs SS Tank	POA	
Fixed Capacity Closed Tanks - 1000L- Welded legs SS Tank	POA	
Fixed Capacity Conical Floor- 1500L- 3 Welded legs, Rect Door 42 x 35-1140 Ø.	POA	
Fixed Capacity Conical Floor- 2000L- 3 Welded legs, Rect Door 42 x 35-1320 Ø	POA	
Fixed Capacity Conical Floor- 3000L- 3 Welded legs, Rect Door 42 x 35-1470 Ø	POA	
Fixed Capacity Conical Floor- 4000L- 4 Welded legs, Rect Door 42 x 53-1570 Ø	POA	
Fixed Capacity Conical Floor- 6000L- 4 Welded legs, Rect Door 42 x 53-1970 Ø	POA	
Fixed Capacity Conical Floor- 8000L- 4 Welded legs, Rect Door 42 x 53-2000 Ø	POA	
Fixed Capacity Conical Floor- 10000L- 4 Welded legs, Rect Door 42 x 53-2040 Ø	POA	
Fixed Capacity Conical Floor- 12000L- 4 Welded legs, Rect Door 42 x 53-2040 Ø	POA	
Fixed Capacity Conical Floor- 25000L- 4 Welded legs, Rect Door 42 x 53-2040 Ø	POA	
OPTIONS:		
Superior 316 grade stainless steel	POA	
OPTIONS:		
Total drain Sump	POA	
Volume Indicator	POA	
Small Oval door	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
Second Valves on tanks 1500L and over	POA	
Large Rectangular Door 42 x 35 (to suit tanks 1500L & larger)	POA	
TANKS CAN BE SOURCED UP TO 5000L UPON REQUEST		
TABLE OLIVE EQUIPMENT	POA	
FRAMAX NuovaRadpid F/4 Pitting Machine 20,000 olives/hour	POA	
FRAMAX NuovaRadpid Pitting and Stuffing Machine 2,000 olives/min	POA	
FRAMAX NuovaRadpid Pitting and Slicing Machine 1,500 olives/min	POA	
FRAMAX NuovaRadpid Colour Sorting Machine	POA	
FRAMAX Washing Water Basin	POA	
FRAMAX Sorting Table with rollers and deleafer	POA	
FRAMAX Sorting Machine	POA	
TECNICAPOMPE Belloliva Transfer Pump of whole olives without damage.	POA	
29L Pickling drum with screen and lid	POA	
Fibre Resin Pickling Tanks available from 100lt to 25,000lt.	POA	
220L Pickling Drum with screen and lid	POA	
CAPPING MACHINES		
Tecnomax Screw Capper FS2000.1 with 4 Rolling Heads (Electric Model)	POA	
Tecnomax Screw Capper TSM-2005 with 4 Rolling Heads (Electric Model)	POA	
Tecnomax Screw Capper TSPS-2002 4 Heads +Safety Door (Pneumatic Model)	POA	
Tecnomax Screw Capper TSP-2002 with 4 Rolling Heads (Pneumatic Model)	\$5,950.00	
Crimper stainless steel 28mm – 31.5mm	\$387.20	
SCREW CAPS & CORKS		
Screw Caps Threaded Copper	POA	
Screw Caps Threaded Gold	POA	
Port/Olive Oil Cork with Flat Black Top 27x20x27 (Pack Of 100)	POA	
Port/Olive Oil Cork with Flat Black Top 27x20x27 (Pack Of 25)	POA	
Port/Olive Oil Cork with Round Black Top 32x20x27 (Pack Of 100)	POA	
Port/Olive Oil Cork with Round Black Top 32x20x27 (Pack Of 25)	POA	
PVC Heatshrink capsules available in a range of colours	POA	
Heat Shrink Capsulator Executive Extra Short Coil 400w Stainless Steel	POA	
Heat Shrink Capsulator Executive Extra Long Coil 700w Stainless Steel	POA	
Heat Shrink Capsulator Fan Forced Model 1000w Stainless Steel	POA	
BOTTLES		
Frantoio Square Bottle 250ml Antique Green Screw Finish	\$1.30	
Frantoio Square Bottle 500ml Antique Green Screw Finish	\$1.45	
Frantoio Square Bottle 1000ml Antique Green Screw Finish	\$2.30	
Futura Baby Round Bottle 375ml Antique Green Stopper Finish	\$1.95	
Gotica Round Bottle 500ml Antique Green Stopper Finish	\$2.10	
Gotica Bottle Round Bottle 250ml Antique Green Stopper Finish	\$1.85	
Pallet Prices Available Upon Request		
LABORATORY		
pH Meter HI 8314 Portable Model	\$386.00	
pH Meter 222 ATC Bench Model	POA	
pH Meter 211 ATC Bench Model	POA	
Free fatty Acid in olive oil	POA	
0.1M Sodium Hydroxide 100ml	POA	
0.1M Sodium Hydroxide 500ml	POA	
Phenolphthalein Indicator 25ml	POA	
Oxitester – Bench mounted analysis unit to measure FFA, peroxide and polyphenols in EVOO. -	POA	
Olive Oil Acidity Test Kit 100 tests per Kit	POA	
Micro Pipette ABSOL 170 ul Calibrated at 1 ul	POA	

ITEM NAME	PRICE Ex GST	ORDER QTY
Olive Oil Polyphenol Test Kit 100 tests per Kit	POA	
HOSING + FITTINGS		
25MM Red Helix Food Grade Hosing	\$12.50/m	
38MM Red Helix Food Grade Hosing	POA	
50MM Red Helix Food Grade Hosing	POA	
64MM Red Helix Food Grade Hosing	POA	
75MM Red Helix Food Grade Hosing	POA	
100MM Red Helix Food Grade Hosing	POA	
HOSETAILS		
25mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
38mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
50mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
63mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
76mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
100mm Female BSM Hosetail Stainless Steel 316 Grade	POA	
CLAMPS		
25mm Super Hose Clamps 31-34 (Stainless Steel)	POA	
38mm Super Hose Clamps 44-47 (Stainless Steel)	POA	
50mm Super Hose Clamps 60-63 (Stainless Steel)	POA	
63mm Super Hose Clamps 74-79 (Stainless Steel)	POA	
76mm Super Hose Clamps 80-88 (Stainless Steel)	POA	
100mm Super Hose Clamps 113-121 (Stainless Steel)	POA	
LAVOR PRESSURE WASHERS		
Jet (cold)	\$169.00	
Mach 20 (cold)	POA	
Rio (Hot/Cold)	POA	
Taurus (Wet & Dry vacuum cleaner)	POA	
OIL TINS		
4 ltr Oil Tins – Qty 1-50	POA	
4 ltr Oil Tins – Qty 50 – 100	POA	
4 ltr Oil Tins – Qty Pallet + (324 per pallet)	POA	
20 ltr Oil Tins – Qty 1-50	POA	
20 ltr Oil Tins – Qty 50 – 100	POA	
20 ltr Oil Tins – Qty Pallet + (80 per pallet)	POA	
Cap 4 ltr – Qty 1-50	POA	
Cap 4 ltr – Qty 50 – 100	POA	
Cap 4 ltr – Qty Pallet + (324 per pallet)	POA	
Cap 20 ltr – Qty 1-50	POA	
Cap 20 ltr – Qty 50 – 100	POA	
Cap 20 ltr – Qty Pallet + (80 per pallet)	POA	



**The OMT
Difference**



OMT Pegaso 500kg/hr continuous cold press

TERMS AND CONDITIONS OF SALE

GENERAL

Cellar Plus Group Pty Ltd (A.B.N. 33 079 121 529) and the Purchaser acknowledge that these terms and conditions of sale constitute the entire agreement between the parties in relation to any agreement or contract for the supply of goods by Cellar Plus Group Pty Ltd. These conditions may only be varied in writing by our authorised representative.

1. WARRANTIES

All goods supplied are guaranteed to be free from defects in accordance with the Manufacturer's warranty. This warranty does not cover the repair of any fault or the replacement of any defective part resulting from the negligence or malpractice of the Purchaser or his servants. The above warranty is additional to rights which arise under the Trade Practices Act 1974 as amended. However, our liability shall be limited to the repair or replacement of the goods, and does not include the cost of the freight to and from the purchaser.

2. PRICE

Any prices quoted are subject to change without notice unless stated otherwise on our written quotation, where the duration of time for which the price will hold is laid down. Prices exclude GST and freight.

3. RESERVATION OF TITLE

- a. The ownership of the goods delivered by us to you ("the goods") is only transferred to you when you have paid all sums owing to us whether under this Agreement or any other contract and until such time we have a right to call for or recover the goods, at our option (for which purpose we may enter your premises by our employee or agents) and you are obligated to deliver up the goods if so directed by us, and are liable for any expenses incurred.
- b. These provisions apply notwithstanding any agreement, whether subject to this Agreement or not, under which we give you credit.
- c. Notwithstanding anything contained in the preceding sub-clause of this clause you accept all risk of loss or damage to the Goods, whether caused by you or not, upon delivery of the Goods and will further indemnify us against all claims demands suits and actions for loss or damage caused by or arising from the handling, transport, storage, display or use of the goods after you have taken possession of the goods.

4. PAYMENT TERMS

COD unless credit account has been approved in writing.

5. DELIVERY

Delivery shall be deemed to have occurred on the date of actual delivery or the date of non-acceptance by the Purchaser of the delivery. All goods will be at the Purchaser's risk from time of despatch from our warehouse unless otherwise stated.

6. RETURN OF GOODS

Return of incorrectly supplied goods or claims for breakages will only be accepted if claims are received in writing within 7 days of receipt of goods. No responsibility is accepted for incorrectly ordered goods. To receive a credit, returned goods must be in a resaleable condition upon arrival at our warehouse. We are not liable for freight charges which we have not agreed to in writing.

7. CANCELLATION

Goods may not be cancelled from an order except by mutual consent in writing. A re-stocking fee may be imposed on the Purchaser subject to our discretion.

Disclaimer

Although every effort has been made to make this publication accurate, it is the purchaser's final responsibility to check the exact specification of the item at the time of ordering